

BIOPHARMACEUTICAL FORMULATIONS

EUBIOTICA



HERBAL






MultiFractioned Reconstituted Extracts

BIOMOLECULAR



DDM
Disorders by Molecular Deficit



HIGHLY STANDARDIZED DERIVATIVES
PERFECTED
CLINICALLY TESTED

BIOPHARMACEUTICAL FORMULATIONS

DERIVATIVES

HIGHLY STANDARDIZED

Concentrated micronutrients

- ▶ Vitamins ▶ Minerals ▶ Amino acids ▶ Fatty acids ▶ Enzymes

Microorganisms

- ▶ Stable and typed probiotics with intestinal colonization
- ▶ Stable and typed bioprotics with extra-intestinal colonization

Substances
with physiological effect

- ▶ Gender-specific prebiotic fibers
- ▶ **Standardized** and titrated herbal derivatives
- ▶ **Multi-fractionated** and **reconstituted** herbal derivatives (Allosoma®)

PERFECTED

Galenic formulations

- ▶ Time-depending programmed release: flash, fast, normal, slow release
- ▶ pH-depending programmed release: enteric-coating, colon-specificity

Carriers

- ▶ Phytosomes®
- ▶ Clathrates

Herbal Enhancer

- ▶ Phase I enzymes: i.e. CYP P450
- ▶ Phase II enzymes: i.e. GST
- ▶ Phase III enzymes: i.e. ATP-binding cassette (GpP)

CLINICALLY TESTED

Stability

Toxicity

Published data

- ▶ Clinical efficacy ▶ Posology ▶ Duration of therapy
- ▶ Compliance ▶ Tolerability ▶ Adverse events



OPTIMIZATION of the PHARMACOLOGICAL and CLINICAL YIELD

OUR NUMBERS

1

Biopharmaceutical
Technique

2

University
Books

3

Therapeutic
Systems

6

Specific
Lines

41

Patented
Formulations

80

Biopharmaceutical
Formulations

137

Scientific
Publications

BIOPHARMECEUTICAL

EUBIOTICA

HERBAL

BIOMOLECULAR



Enteral-Logic



BIOPROTIC



Mono-components



Plural-components



MultiFractioned Reconstituted Extracts



DDM - Disorders by Molecular Deficits

1

International Award

Bactoblis[®]

Best nutraceutical of 2015 for immunity



NutraIngredients Awards

2015 • WINNER



Product	Use	COMPOSITION	BIOPHARMACEUTICAL	Dosage
 Algocur®	ACUTE AND CHRONIC NOCICEPTIVE PAIN	FILMED TABLETS 1000 mg <i>Curcumin</i> Phytosome® from dry extract of <i>Curcuma longa L.</i> complexed with soy phospholipids 10 mg Piperine from dry extract of <i>Piper nigrum L.</i>	The phytosome enhances the oral bioavailability of curcumin, PIPERINE blocks the enzyme CYP3A4 prolonging the biological activity of CURCUMIN	2 tablets per day *
 Alipas® <small>IS PATENTED</small>	OVERWEIGHT OBESITY HYPERTRIGLYCERIDEMIA	MULTILAYER TABLETS WITH DIFFERENTIATED TIME AND PH-DEPENDENT RELEASES 100 mg Carnosic acid FAST release 200 mg Carnosic acid ENTERIC COATED	The fast release allows the inhibition of the GASTRIC LIPASE The enteric coating allows the inhibition of the PANKREATIC LIPASE	1-2 tablets before meals *
 Berberol® <small>IS PATENTED</small>	ALTERATIONS OF GLICEMIC PANEL, HYPERGLYCEMIA AND DIABETES ALTERATIONS OF LIPIDIC PANEL AS HYPERCHOLESTEROLEMIA AND HYPERTRYGLICERIDEMIA	FILMED TABLETS 500 mg Berberine from <i>Berberis aristata</i> DC radix 105 mg Silymarin from <i>Silybum marianum L.</i> fruit	The association with SILYMARIN enhances the oral bioavailability of berberine in the intestine, through the block of P-glycoprotein, main responsible of the riextrusion of the berberine in the enterocyte.	2 tablets/day with water *
 Berberol® K	MILD TO MODERATE HYPERCHOLESTEROLEMIA	FILMED TABLETS 500 mg Berberine from <i>Berberis aristata</i> DC radix 105 mg Silymarin from <i>Silybum marianum L.</i> fruit 10 mg Monacolin K and KA from red yeast rice	Standardized content in MONACOLIN K and KA (ACTIVE monacolins) in the ratio 1:1 Elimination of non-standardized monacolins Total elimination of citrinin, nephrotoxic substance	1 tablet per day
 Carvelin®	VENOUS-LYMPHATIC INSUFFICIENCY CELLULITIS	MULTILAYER TABLETS WITH DIFFERENTIATED RELEASES 100 mg LEUCOSELECT® FITOSOMA® NORMAL release 50 mg LIMPHASELECT® SLOW release 80 mg GINKGOSELECT® FITOSOMA® NORMAL release	The phytosome enhances the oral bioavailabiliy. The slow release prolongs the activity of the extract of <i>Melilotus officinalis</i>	1-2 tablets/day with water
 Emospid®	HEMORRHOIDS, CHRONIC VENOUS INSUFFICIENCY VARICOSE VEINS, SPIDER VEINS ANAL FISSURES, COUPEROSE ACNE ROSACEA, DIABETIC ULCERS	MULTILAYER TABLETS WITH DIFFERENTIATED RELEASES 100 mg LEUCOSELECT® FITOSOMA® NORMAL release 30 mg Triterpenic Fraction of Centella asiatica SLOW release 80 mg MIRTOSELECT® NORMAL release	The phytosome enhances the oral bioavailability The slow release prolongs the activity of the triterpenic fraction of Centella asiatica	1-3 tablets/day with water *
 Faseol®	OVERWEIGHT (inibition of digestion and absorption of carbohydrates)	MULTILAYER TABLETS WITH DIFFERENTIATED TIME-DEPENDENT AND PH-DEPENDENT RELEASES 9 mg di Phaseolamin ENTERIC COATED 140 mg Charcoal SLOW release 150 mg Poliplasdone SLOW release	The enteric coating protects the phaseolamin from gastric pH. The slow release form of charcoal and poliplasdone reduces the adverse effects of the failed digestion of carbohydrates	1-2 tablets/day before meals
 Fibermet®	ALTERATIONS OF GLYCEMIA, ALTERATIONS OF LIPID, HYPERCHOLESTEROLEMIA, HYPERGLYCEMIA, HYPERTRIGLYCERIDEMIA, OBESITY, OVERWEIGHT, VISCERAL OBESITY	SACHETS 1500 mg psyllium 1000 mg glucomannan 500 mg guar fiber 40 mcg chromium 1500 mg phytosterols	Fibermet® is a food supplement containing psyllium, glucomannan, guar fiber, phytosterols and chromium useful in weight control, glycemia and cholesterol.	Take 1 to a maximum of 2 sachets per day
 Ginkasa® <small>IS PATENTED</small>	VASCULAR DEFICIT AS: PERIFERAL AND CENTRAL VASCULAR INSUFFICIENCY, TINNITUS, ERECTILE DYSFUNCTION, SENILE DEMENTIA, DIABETIC MICROARTERIAL PATOLOGY, REYNAUD SYNDROME, VERTIGO	FILMED TABLETS 120 mg <i>Ginkgo biloba L.</i> Standardized Terpene Free dry extract, titrated to 24% in ginkgo flavonglucosydes	The TERPENE FREE EXTRACT can be used also in patients that take anticoagulant and antiplatelet drugs	1-3 tablets/day with water *

Product	Use	COMPOSITION	BIOPHARMACEUTICAL	Dosage
 Globes®	OVERWEIGHT (stimulation of basal metabolism)	ENTERIC COATED TABLETS 150 mg GREENSELECT® FITOSOMA® standardized dry extract of <i>Camellia sinensis</i> titrated to > 60% in polyphenols and > 40% in epigallocatechin-O-gallate complexed with soy phospholipids Piperine from <i>Piper nigrum L.</i>	The phytosome and the enteric coating enhance the oral bioavailability The association with PIPERINE prolongs and enhances the activity of CATECHINS	2 tablets/day with water
 Hepa®	HEPATOBIILIARY INSUFFICIENCY LIVER DISEASES (infectious, iatrogenic, toxic)	TABLETS WITH PROGRAMMED SLOW release 210 mg SILYMARIN PHYTOSOME® from extract of <i>Silybum marianum</i> fruits complexed with soy phospholipids 100 mg L-Cysteine, 50 mg L-Methionine, 50 mg L-Serine as precursors of synthesis of glutathione	The phytosome enhances the oral bioavailability of SILYMARIN The slow release prolongs the activity of the ACTIVE SUBSTANCES	1-2 tablets/day *
 Homair®	VISCERAL OBESITY REFRACTORY TO WEIGHT LOSS INSULIN RESISTANCE METABOLIC SYNDROME	FILMED TABLETS 800 mg CURSERIN® 8 mg piperine	Phytosome obtained with phosphatidylserine and the association with piperine enhances absorption and activity of curcumin	1 or 2 tablets/day depending on the refractory to weight loss *
 Irricol®	IRRITABLE BOWEL SYNDROME (IBS) INTESTINAL PAIN AND SWELLING METEORISM AND FLATULENCE	COLON-SPECIFIC CAPSULES 250 mg microencapsulated essential <i>mint oil</i> , titrated to 50% in menthol 10 mg microencapsulated essential <i>chamomile oil</i> , titrated to 45% in alpha-bisabolol	The COLON-SPECIFICITY block the acid reflux and the esophagitis of the essential oils taken orally and improves the activity of the oils in the colon enhancing their action	2 capsules/day for 30 days, then 1 capsule/day *
 Jambul CR®	PERIPHERAL GLUCOSE INTOLERANCE	SLOW RELEASE TABLETS 500 mg MADEGLUCYL® - extract of <i>Eugenia jambolana L.</i> seeds 2 mcg Chrome	The slow-release prolongs the activity of the active substances and reduces the hepatic first-pass	1-3 tablets/day
 Kramegin® CE compresse vaginali	INFECTIVE VAGINITIS, VULVOVAGINITIS AND VAGINOSIS	VAGINAL FAST RELEASE TABLETS 15 mg Lactic acid 1mld <i>Lactobacillus acidophilus</i> 1 mg <i>Krameria triandra e.s.</i>	Antimicrobial and antibacterial activity	1 tablet/evening for 10 days *
▶ BREVETTO				
 Kramegin® CE lavanda vaginale	INFECTIVE VAGINITIS, VULVOVAGINITIS AND VAGINOSIS	VAGINAL DOUCHING Boric acid 3% Lactic acid 0,14% <i>Krameria triandra</i> 0,01%	Antimicrobial and antibacterial activity	1-2 applications/week
▶ IS PATENTED				
 Kramegin® crema ginecologica	INFECTIVE VAGINITIS, VULVOVAGINITIS AND VAGINOSIS	GYNECOLOGICAL EMULSION Alpha-bisabolol 2%, Standardized dry extract of <i>Krameria triandra</i> titrated to 15% in neolignans and nor-neolignans 0,5%	Antimicrobial and antibacterial activity	Apply on the external genitals, Utilize also in partner
▶ IS PATENTED				
 Kramegin® detergente intimo	INFECTIVE VAGINITIS, VULVOVAGINITIS AND VAGINOSIS	INTIMATE CLENSER Lactic acid 1,8% Standardized dry extract of <i>Krameria triandra</i> titrated to 15% in neolignans and nor-neolignans	Antimicrobial and antibacterial activity	1-2 applications/day *
▶ IS PATENTED				



Product	Use	COMPOSITION	BIOPHARMACEUTICAL	Dosage
 Lipicur® <small>► IS PATENTED</small>	NEUROPATHY, MIOPATHY OSTEOARTHRITIS AND ARTHROSIS MOTOR AND SENSORY RADICULOPATHY CANALICULAR SYNDROMES	TABLETS WITH PRE-CUT 400 mg α -lipoic acid 400 mg <i>Curcumin</i> PHYTOSOME® from dry extract of <i>Curcuma longa</i> L. complexed with soy phospholipids 4 mg Piperine from dry extract of <i>Piper nigrum</i> L.	The phytosome enhances the oral bioavailability of CURCUMIN PIPERINE blocks the enzyme CYP3A4 prolonging the biological activity of curcumin.	* 1-2 tablets/day with water
 Mirgeal® <small>► IS PATENTED</small>	NON EROSIIVE GASTRO-ESOPHAGEAL REFLUX DISEASE (NERD) GASTRIC ULCER	SACHETS 500 mg Sodium alginate 25 mg glycyrrhetic acid 20 mg MIRTOSELECT®	The sodium alginate in the stomach develops a gel that prevents gastro-oesophageal reflux and incorporates within it the other two active ingredients, allowing the protective and reparative activity in gastric area without systemic absorption.	* 1 sachets after meals or to the need
 Nattosin®	PRIMARY PREVENTION OF VENOUS THROMBOSIS AND THROMBOPHLEBITIS SECONDARY PREVENTION POST-THROMBECTOMY TREATMENT OF MILD TO MODERATE HYPERTENSION LIMB EDEMA	ENTERIC COATED TABLETS 100 mg Extract of fermented soybeans in culture of <i>Bacillus subtilis</i> Natto 160 mg BROMELAIN	The enteric coating guarantees the stability of the active ingredients and therefore their total enzyme activity	1 tablets/day
 Neurofast®	INSOMNIA, ANXIETY IRRITABILITY, PALPITATIONS VISCERAL SOMATIZATION	MULTILAYER TABLETS WITH DIFFERENTIATED RELEASES 100 mg VALEROSELECT® 0,8% FAST release 100 mg <i>Passiflora incarnata</i> standardized and titrated to 3,5% SLOW release 100 mg Extract of <i>Crataegus pp. (Hawthorn)</i> standardized and titrated to 1,8% NORMAL release	The fast release allows a rapid absorption of valerian favoring rapid anxiolytic activity The slow-release prolongs the activity of passionflower for a more efficient action on a visceral level	* 1-3 tablets/day
 Ostardan® <small>► IS PATENTED</small>	OSTEOARTHRITIS OF THE HAND, KNEE, COLUMN AND HIP	EMULSION-GEL Escin β -sitosterol PHYTOSOME® 1,5% 18- β -glycyrrhetic acid PHYTOSOME® 1,5% Boswellic acids from <i>Boswellia serrata</i> 1% Capsaicinoids from <i>Capsicum annuum</i> 0,75% Ethyl nicotinate 0,02%	The Phytosome® increases the absorption of the active ingredients	* 3 applications/day
 Paravir Flu® <small>► IS PATENTED</small>	SORE THROAT COUGH, COLDS, FLU SYNDROME PARAINFLUENZA SYNDROME	FILMED TABLETS 160 mg Extract <i>Salix alba</i> (willow), 102,5 mg <i>Boswellia serrata</i> extract 25 mg Dimeric flavonic fraction of <i>Ginkgo biloba</i> extract PHYTOSOME® N-acetylcysteine, B vitamins, zinc, selenium, copper	The Phytosome® increases the absorption and the oral bioavailability The extracts of willow and boswellia, thanks to their different onset of action, produce a long-lasting effect	* 2 tablets in the morning and 2 tablets in the evening for 3 days
 Paravir® SPRAY	INFLAMMATIONS OF THE OROPHARYNGEAL CAVITY, SUCH AS: PHARYNGITIS, LARYNGITIS, GINGIVITIS AND APHTHA GLOSSITIS AND STOMATITIS, HALITOSIS	OROPHARYNGEAL SPRAY Glycyrrhetic acid, Alpha-bisabolol ZANTHALENE® - extract of <i>Zanthoxylum alatum</i> <i>Melaleuca alternifolia</i> essential oil, Mint essential oil Eucalyptus essential oil, Thyme essential oil	Anti-inflammatory, antibacterial, soothing, local anesthetic action	3-4 applications/day
 remifemin® <small>► IS PATENTED</small>	NEUROVEGETATIVE AND PSYCHIC SYMPTOMS OF CLIMATERIC SYNDROME, MENOPAUSE AND PREMENOPAUSE	TABLETS 2,5 mg Special extract ICR (Isopropanolic extract) of <i>Cimicifuga racemosa</i> rhizome equal to 20 mg of drug	The method of extraction is patented. This proceeding allows to obtain a phytoestrogen free extract	* 2 tablets/day with water

Product	Use	COMPOSITION	BIOPHARMACEUTICAL	Dosage
 Sirtuol®	METABOLIC SYNDROME ANTI-AGING	ENTERIC COATED TABLETS 450 mg RESVERATROL PHYTOSOME® Piperine from standardized dry extract of 15 mg <i>Piper nigrum L</i>	The PHYTOSOME® and the enteric coating increase the absorption and the oral bioavailability of RESVERATROL. The association with PIPERINE prolongs the activity of RESVERATROL inhibiting its metabolism	1-2 tablets/day with water
 Terpenal® PLUS ▶ IS PATENTED	PREVENTION AND TREATMENT OF ALLERGIC REACTION SUCH AS: RHINOCONJUNCTIVITIS, HIVES, INTRINSIC ASTHMA, SUNBURN, POLYMORPHOUS LIGHT ERUPTION	MULTILAYER TABLETS WITH DIFFERENTIATED TIME-DEPENDENT RELEASES 120 mg Dimeric-flavonic fraction from <i>Ginkgo biloba</i> PHYTOSOME® 60 mg Terpene fraction from <i>Ginkgo biloba</i> PHYTOSOME® 200 mg CASPEROME® - <i>Boswellia serrata</i> extract PHYTOSOME®	The Phytosome® increases the absorption and the oral bioavailability. The fast release optimizes the activity of dimeric flavones favoring a rapid action. The slow release reduces the effect of hepatic first pass and prolongs the activity of terpenes	1-3 tablets/day with water *
 Yalpac®	INFLAMMATION AND ULCERS OF THE ORAL CAVITY AND PERIODONTAL EVEN IN RECURRENT FORMS	ORAL SOLUTION 30 mg/10 ml Proanthocyanidins from standardized extract of <i>Vaccinium macrocarpon</i> (cranberry) 22 mg/10 ml Hyaluronic acid	The two active ingredients play mucosal skin restoring action and restructuring connective action	Take 10 ml of the solution to keep in contact with the oral mucosa for about 1 minute, 3 times a day for at least 4 days *
 Zantoderma® crema ▶ IS PATENTED	ERYTHEMATOUS DERMATITIS AND ECZEMA SUNBURN, HIVES, INSECT BITES PSORIASIS (ADJUVANT)	DERMATOLOGICAL EMULSION 0,5% ZANTHALENE® - extract of <i>Zanthoxylum alatum</i> 1,5% 18-β-glycyrrhetic acid PHYTOSOME® MERIVA® - 0,0012% Curcumin from <i>Curcuma longa</i> PHYTOSOME® 0,05% <i>Melaleuca alternifolia</i> essential oil with 0,1% - Alpha-bisabolol with soothing activity	The Phytosome® increases the cutaneous absorption of the active substances	2-3 applications for day In the case of insect bites use as needed *
 Zantoderma® detergente ▶ IS PATENTED	ERYTHEMATOUS DERMATITIS AND ECZEMA SUNBURN, HIVES, INSECT BITES PSORIASIS (ADJUVANT)	DERMATOLOGICAL CLEANSER 0,25% ZANTHALENE® - extract of <i>Zanthoxylum alatum</i> 0,75% 18-β-glycyrrhetic acid PHYTOSOME® MERIVA® - 0,0012% Curcumin from <i>Curcuma longa</i> PHYTOSOME® 0,1% <i>Melaleuca alternifolia</i> essential oil 0,05% Alpha-bisabolol with soothing activity	The Phytosome® increases the cutaneous absorption of the active substances	Use instead of the normal detergent
 Zantoderma® PLUS	PREVENTION AND TREATMENT OF RADIODERMATITIS, ADJUVANT TREATMENT OF MINOR BURNS THAT DO NOT REQUIRE ANTIBIOTIC THERAPY, TREATMENT OF DRY EPITHELIUMLYSIS	DERMATOLOGICAL EMULSION 0,5% ZANTHALENE® - extract of <i>Zanthoxylum alatum</i> 1,5% 18-β-glycyrrhetic acid PHYTOSOME® 0,5% BOSEXIL® - <i>Boswellia serrata</i> PHYTOSOME® 1% RENOVASE® - Acil-GSH 1% Alpha-bisabolol	The Phytosome® increases the cutaneous absorption of the active substances	3-4 applications per day
 Zantogin® crema vulvare ▶ IS PATENTED	ATROPHIC VULVITIS CONTACT VULVITIS IRRITATIVE VULVITIS CHRONIC LICHEN SIMPLEX	VULVAR EMULSION 0,5% ZANTHALENE® - extract of <i>Zanthoxylum alatum</i> 1,5% 18-β-glycyrrhetic acid PHYTOSOME® MERIVA® - 0,0012% Curcumin from <i>Curcuma longa</i> PHYTOSOME® 0,05% <i>Melaleuca alternifolia</i> essential oil 0,1% Alpha-bisabolol - 0,015% Lactic acid	The Phytosome® increases the cutaneous absorption of the active substances	1-2 applications/day *
 Zantogin® detergente intimo ▶ IS PATENTED	ATROPHIC VULVITIS CONTACT VULVITIS IRRITATIVE VULVITIS CHRONIC LICHEN SIMPLEX	INTIMATE CLEANSER 0,25% ZANTHALENE® - extract of <i>Zanthoxylum alatum</i> 0,75% 18-β-glycyrrhetic acid PHYTOSOME® MERIVA® - 0,0012% Curcumin from <i>Curcuma longa</i> PHYTOSOME® 0,1% <i>Melaleuca alternifolia</i> essential oil 0,05% Alpha-bisabolol 0,001% Lactic acid	The Phytosome® increases the cutaneous absorption of the active substances	1-2 application/day *
 Zantogin® gel ▶ IS PATENTED	ATROPHIC VAGINITIS, VAGINAL DRYNESS	VAGINAL GEL 0,5% ZANTHALENE®, 1% Extract of <i>Centella asiatica</i> PHYTOSOME®, 0,5% Sodium hyaluronate Xilogel da <i>Tamarindus indica</i> 1%, Polycarbophyl 0,8%	The Phytosome® increases the cutaneous absorption of the active substances Xilogel® and Polycarbophyl® act as drug delivery system	1 applications/day


PATENTED METHOD of EXTRACTION
PERFORMANCE of the FORMULATION: Allosoma® contains all the phytocomplex

Product	Use	COMPOSITION	Dosage
Androgra PLEX®	COLDS OR FLU DISEASE CHARACTERIZED BY: STUFFY NOSE, RUNNY NOSE, SNEEZING, SORE THROAT, COUGH, INFLAMMATION OF THE CONJUNCTIVA, DIFFICULTY IN BREATHING	TABLETS 200 mg <i>Andrographis paniculata</i> root multi fractionated and reconstituted dry extract (ALLOSOMA®)	3-4 tablets/day
Brassi PLEX®	PRIMARY, SECONDARY AND TERTIARY PREVENTION IN ONCOLOGY	TABLETS 200 mg di <i>Brassica oleracea</i> multi fractionated and reconstituted dry extract (ALLOSOMA®)	1-2 tablets/day
Damia PLEX®	LOSS OF LIBIDO SEXUAL DIFFICULTIES DUE TO MENTAL AND PHYSICAL FATIGUE OR ANXIETY CHRONIC FATIGUE SYNDROME ON PSYCHOGENIC BASIS WITH DISORDERS OF SLEEP AND CONCENTRATION DIFFICULTIES	TABLETS 200 mg di <i>Turnera diffusa</i> (damiana) aphrodisiaca leaves multi fractionated and reconstituted dry extract (ALLOSOMA®)	1-2 tablets/day
Echina PLEX®	PREVENTION OF COLDS AND FLU SYNDROME ENHANCEMENT OF VACCINE RESPONSE	TABLETS 200 mg <i>Echinacea purpurea herb</i> multi fractionated and reconstituted dry extract (ALLOSOMA®)	1 tablet/day *
Edera PLEX®	COUGH DUE PRIMARILY TO: CHRONIC BRONCHITIS, CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD), ASTHMA	TABLETS 150 mg <i>Edera helix</i> leaves multi fractionated and reconstituted dry extract (ALLOSOMA®)	1-3 tablets/day
Equi PLEX®	FRAGILITY, THINNING AND WEAKENING OF THE HAIR WITH A TENDENCY TO APICAL BREAK PREVENTION OF CUTANEOUS MANIFESTATIONS SUCH AS HEEL FISSURES, CALLUSES AND CORNS	TABLETS 200 mg <i>Equisetum arvense</i> whole plant multi fractionated and reconstituted dry extract (ALLOSOMA®)	1-2 tablets/day
Erisi PLEX®	PHARYNGOLARYNGITIS AND LARYNGITIS WITH HOARSENESS AND/OR DYSPHONIA TYPE: ACUTE BY VIRAL ETIOLOGY, ACUTE BY VOCAL ABUSE, CHRONIC BY GASTRO-OESOPHAGEAL REFLUX	TABLETS 250 mg <i>Sisymbrium officinale</i> flowering tops multi fractionated and reconstituted dry extract (ALLOSOMA®)	2-3 tablets/day
Esco PLEX®	MILD ANXIETY, PSYCHOLOGICAL FATIGUE FROM PROLONGED EMOTIONAL CONFLICTS STATES OF NERVOUS TENSION AND IRRITABILITY, PREVENTION OF COLITIS, TACHYCARDIA AND DIZZINESS BY PANIC ATTACKS	TABLETS 150 mg <i>Eschscholtzia californica</i> leaves multi fractionated and reconstituted dry extract (ALLOSOMA®)	1-2 tablets/day
Fucus PLEX®	OVERWEIGHT AND OBESITY, UNDERACTIVE THYROID WATER RETENTION MAINLY LOCATED ON THE ABDOMEN, THIGHS AND BUTTOCKS, LOW BASAL METABOLIC RATE	TABLETS 250 mg <i>Fucus vesiculosus</i> thallus multi fractionated and reconstituted dry extract (ALLOSOMA®)	1-2 tablets/day
Ibis PLEX®	MILD HYPERTENSION	TABLETS 250 mg <i>Hibiscus sabdariffa</i> flowers multi fractionated and reconstituted dry extract (ALLOSOMA®)	1-2 tablets/day

Products	Use	COMPOSITION	Dosage
IperiPLEX®	MILD AND MODERATE DEPRESSION, MOOD DISORDERS DYSPHORIC SYNDROMES, REDUCTION OF TOBACCO DEPENDENCE	TABLETS 300 mg <i>Hypericum perforatum</i> flowering whole plant dry multi fractionated and reconstituted extract standardized and trited to 0.1% hypericin (ALLOSOMA®)	2-3 tablets/day
OrthoPLEX®	EDEMA AND SWELLING LOCALIZED TO THE LOWER LIMBS MILD HYPERTENSION BY WATER RETENTION	TABLETS 150 mg <i>Orthosiphon stamineus</i> leaves multi fractionated and reconstituted dry extract (ALLOSOMA®)	1-2 tablets/day
PiantaPLEX®	DRY AND IRRITATIVE COUGH, INFLAMMATION OF THE UPPER RESPIRATORY TRACT	TABLETS 150 mg <i>Plantago lanceolata</i> herbs with flowers multi fractionated and reconstituted dry extract (ALLOSOMA®)	1-3 tablets/day
RodioPLEX®	ASTHENIA, CHRONIC FATIGUE SYNDROME, COGNITIVE DEFICITS, MILD TO MODERATE DEPRESSION, MAINTAINING HIGH SPORTS, PSYCHOLOGICAL AND/OR WORKING PERFORMANCE, NICOTINE WITHDRAWAL, BURNOUT SYNDROME	TABLETS 200 mg <i>Rhodiola rosea</i> root multi fractionated and reconstituted dry extract (ALLOSOMA®)	1-2 tablets/day
UncaPLEX®	INFLAMMATION TYPICAL OF RHEUMATOID ARTHRITIS PROTECTION OF CARTILAGE IN ARTHRITIC DISEASE	TABLETS 250 mg <i>Uncaria tomentosa</i> cortex multi fractionated and reconstituted dry extract (ALLOSOMA®)	1-2 tablets/day
WithaPLEX®	NEURODEGENERATIVE DISEASES	TABLETS 300 mg <i>Withania somnifera</i> root multi fractionated and reconstituted dry extract (ALLOSOMA®)	1-2 tablets/day

Line PROPOLISINA®

▶ PATENTED RAW MATERIAL



Product	Use	COMPOSITION	BIOPHARMACEUTICAL	Dosage
PROPOLISINA® Proposoma lisclatrato® citrus taste	DISEASES OF THE UPPER RESPIRATORY TRACT	BUCCAL SACHETS (citrus taste) 200 mg Proposoma lisclatrato®	Complexation of hydrophilic fraction with phosphatidylcholine, a lipophilic carrier and complexation of the lipophilic fraction with lysine, a hydrophilic carrier	1 sachets up to 4 times at day dissolved in the mouth for 3-4 days
PROPOLISINA® Proposoma lisclatrato® berries taste	DISEASES OF THE UPPER RESPIRATORY TRACT	BUCCAL SACHETS (berries taste) 200 mg Proposoma lisclatrato®	Complexation of hydrophilic fraction with phosphatidylcholine, a lipophilic carrier and complexation of the lipophilic fraction with lysine, a hydrophilic carrier	1 sachets up to 4 times at day dissolved in the mouth for 3-4 days







Product	Use	COMPOSITION	BIOPHARMACEUTICAL	Dosage
MonoSelect Agnus	PREMENSTRUAL SYNDROME AND RELATED DISORDERS DYSPHORIC SYNDROME MENSTRUAL CYCLE DISORDERS HYPERPROLACTINEMIA	FAST RELEASE TABLET 40 mg Standardized dry extract of <i>Vitex agnus-castus</i> (chaste tree) titrated to 0,5% in agnuside.	The rapid-release allows an accelerated absorption of the active ingredients and more rapid action	Take 1 tablet daily for 90 consecutive days. Continue with 1 tablet per day within 7 days prior to the cycle *
MonoSelect AKBA	OSTEOARTHRITIS INFLAMMATORY BOWEL DISEASE BRONCHIAL ASTHMA	FILMED TABLETS 500 mg CASPEROME® - standardized extract of <i>Boswellia serrata</i> FITOSOMA® titrated to 75% in boswellic acids	The Phytosome® increases absorption and oral bioavailability of boswellia extract	1-2 tablets/day
MonoSelect Camellia	OVERWEIGHT (stimulation of basal metabolism)	FILMED TABLETS 150 mg GREENSELECT® PHYTOSOME® - standardized dry extract of <i>Camellia sinensis</i> titrated to > 60% in polyphenols and > 40% in epigallocatechin-0-gallate complexed with soy phospholipids	The Phytosome® enhances the oral bioavailability of polyphenols from green tea extract	2 tablets/day with water *
MonoSelect Echinacea	STIMULATION OF THE IMMUNE SYSTEM	SLOW RELEASE TABLETS 12 HOURS 100 mg POLINACEA® - <i>Echinacea angustifolia</i> root dry extract standardized and titrated to > 2% echinacoside; > 5% in polysaccharides; <0.1% in isobutylamides	The slow-release form prolongs the activity of the extract and optimizes the immune stimulation in the intestine	In prevention: 1 tablet/day from September to March * In the course of infection: 2 tablets/day
MonoSelect Ginkgo	VASCULAR DEFICIT AS: PERIPHERAL AND CENTRAL VASCULAR INSUFFICIENCY, TINNITUS, CLAUDICATIO INTERMITTENS, ERECTILE DYSFUNCTION, SENILE DEMENTIA, DIABETIC MICROARTERIAL PATOLOGY, REYNAUD SYNDROME, VERTIGO	FILMED TABLETS 120 mg GINKGOSELECT® PHYTOSOME® Standardized dry extract of <i>Ginkgo biloba</i> titrated to 24% in ginkgoflavonglucosydes; 6% in triterpenic lactones, complexed with soy phospholipids	The Phytosome® increases the absorption and oral bioavailability of the extract of <i>Ginkgo biloba</i>	1-3 tablets/day with water *
MonoSelect Harpagophytum	OSTEOARTHRITIS ARTHROSIS	SLOW RELEASE TABLETS 480 mg Extract of <i>Harpagophytum procumbens</i> DC root, standardized and titrated to 2% in harpagoside	The slow-release prolongs the activity of the extract and reduces any stomach discomfort.	2 tablets/day *
MonoSelect Licopene	REDUCTION OF THE RISK OF PROSTATE CANCER PREVENTION OF DAMAGE BY SUN EXPOSURE	SLOW RELEASE TABLETS 120 mg Extract of <i>Solanum lycopersicum</i> (tomato) fruits, standardized and titrated to 5% in lycopene (CIS form)	The delayed release limits the destructive effects of first pass metabolism and prolong the activity	1-2 tablets/day
MonoSelect Macrocarpon PIS PATENTED	RECURRENT BACTERIAL URINARY TRACT INFECTIONS	ENTERIC-COATED TABLET 200 mg CRANPURE® - <i>Vaccinium macrocarpon</i> fruit extract, standardized and titrated to 30% total proanthocyanidins (60 mg PAC) (internal method)	The enteric coating protects the proanthocyanidins from the attack of gastric juices and the possible interaction with other bacteria, allowing the absorption of the entire amount of PAC	1-2 tablets/day for at least 12 weeks *
MonoSelect Sabal	BENIGN PROSTATIC HYPERTROPHY (BPH) ORAL TREATMENT OF ANDROGENETIC ALOPECIA	ENTERIC COATED TABLETS 320 mg SABALSELECT® - extract of <i>Serenoa repens</i> (Sabal serrulata) fruits, standardized and titrated to 90% in fatty acids with linear chain	The enteric coating limits the possible gastric discomfort given by the oily component of the extract of <i>Serenoa</i>	1 capsule/day with water
MonoSelect Valeriana	SLEEP DISORDERS ANXIETY	FAST RELEASE TABLETS 300 mg VALEROSELECT® extract of <i>Valeriana officinalis</i> L. root, standardized and titrated to 0.8% in valerenic acids.	The rapid-release form allows an accelerated absorption of the extract of valerian and a more rapid action	1-2 tablets at bedtime for sleep disorders 1 to 2 tablets for day for the anxiety syndrome







Product	Use	COMPOSITION	BIOPHARMACEUTICAL	Dosage
DDM Betaina	HYPERHOMOCYSTEINEMIA	TABLETS WITH PROGRAMMED RELEASE (8 hour) 250 mg Betaine, 3 mg Vit. B6, 0,4 mg folic acid, 3,75 µg Vit. B12	The programmed release optimizes the intestinal absorption and prolongs the activity of the active substances	1 capsule/day *
DDM Carnosina	MUSCULAR ACIDOSIS ASTHENIA	TABLETS WITH PROGRAMMED RELEASE (8 hour) 250 mg L-carnosine - 250 mg Beta alanine	The programmed release optimizes the intestinal absorption and prolongs the activity of the active substances	1 tablet/day *
DDM Chinone	NEUROLOGICAL RECOVERY AFTER STROKE IATROGENIC POLYNEUROPATHY AND MYOPATHY (BY STATINS) MILD TO MODERATE HYPERTENSION, HEART FAILURE NEURODEGENERATIVE DISEASE, MALE INFERTILITY FIBROMYALGIA	SACHETS 200 mg Coenzyme Q10 15 mg Vitamin E 25 mg Vit. B2, 9,5 mg Vit. B6, 0,4 mg Vit. B9, 0,025 mg Vit. B12	The NANOEMULSION increases the bioavailability of Coenzyme Q10 improving the chemical affinity with the membrane of enterocytes.	1 sachet/day The content of the sachet can also be dissolved directly in the oral cavity
DDM Chiro	POLYCYSTIC OVARY SYNDROME AND RELATED DISTURBS AS: OLIGOMENORRHEA, AMENORRHEA, INFERTILITY IRSUTISM, ACNE, ALTERATIONS OF GLYCOLIPIDIC PANEL	TABLETS WITH PROGRAMMED RELEASE (4 hour) 600 mg D-chiro-inositol, 1,5 mg Zinc, 400 µg Folic acid, 10 µg Vitamin D3	The programmed release optimizes the intestinal absorption and prolongs the activity of the active substances	1/2 capsule/day
DDM Ferro	SIDEROPENIC ANEMIA	TABLETS WITH PROGRAMMED RELEASE (4 hour) 21 mg Iron, 240 mg Vitamin C, 1,2 mg Vitamin A	The programmed release optimizes the intestinal absorption of the active substances. The association with vitamin A improve the effects of iron in case of anemia.	1-3 tablets/day *
DDM Galattosidasi	LACTOSE INTOLERANCE FOOD INTOLERANCES	ENTERIC COATED TABLETS α-galactosidase 200 Gal/U β-galactosidase 200 Lac/U	The enteric coating protects the enzymes from gastric pH	1 tablets before principal meals *
DDM Matrice	PROFILAXIS AND TREATMENT OF: STRIAE RUBRAE, HYPERTROPHIC OR KELOID POSTSURGICAL CICATRIX, TENDON AND MUSCULAR PATHOLOGIES, TRAUMA, ARTHROSIS	Sachets 5000 mg Bacterial idrolized of collagen 500 mg Bacterial idrolized of elastine 12 mg Vitamin C	The bacterial idrolizeds of collagen and elastine promotes the production of new collagen (tissue-dependent) and new elastine	1-2 sachets/day
▶ IS PATENTED				
DDM Metile	MILD TO MODERATE DEPRESSION ALTERATIONS OF MOOD LIVER DISEASES	ENTERIC COATED TABLETS 250 mg S-adenosyl-methionine - 125 mg Betaine	The enteric coating prevents the inactivation of the active substances by gastric pH. The association with betaine stimulates the regeneration of hepatic SAME and save the amount of SAME	1-3 tablets/day *
DDM Nitrico	VASCULAR DISEASE ERECTILE DYSFUNCTION ADIPOSIY, OSTEOPOROSIS	TABLETS WITH PROGRAMMED RELEASE (8 hour) 200 mg L-Arginine, 200 mg L-Citrulline, 200 mg L-Lysine, 200 mg L-Ornithine	The programmed release optimizes the intestinal absorption and prolongs the activity of the active substances	1 tablets/day with water



Product	Use	COMPOSITION	BIOPHARMACEUTICAL	Dosage
 Alkaloximed	TISSUE ACIDOSIS OXIDATIVE STRESS ASTHENIA MUSCULAR CRAMPS	SACHETS Citrates of potassium, magnesium and zinc Vitamins of the group B - Vitamins A, C and E Selenium	The only saline multivitamin to rebalance the correct tissue pH and cellular homeostasis	1-2 sachets/day with water
 FG5 IS PATENTED	PREVENTION OF IATROGENIC DAMAGE DUE TO ANTIBIOTIC, ANTINFLAMMATORY AND ANTIPIRETTIC THERAPIES DIARRHEA, DISBIOSIS	SACHETS Probiotics (10 mld), Galacto-oligosaccharides, Vitamins of group B, Vitamins A, C, E, Zinc, Copper, Selenium, Glutathione, Leucocyanidins from <i>Vitis vinifera</i> Lycopene from <i>Solanum lycopersicum</i>	The only high-dosage symbiotic that antagonizes the iatrogenic damage	1 sachet A + 1 sachet B/day
 FG5 FORTE IS PATENTED	PREVENTION OF IATROGENIC DAMAGE DUE TO ANTIBIOTIC, ANTINFLAMMATORY AND ANTIPIRETTIC THERAPIES DIARRHEA, DISBIOSIS	SACHETS Probiotics (20 mld) Galacto-oligosaccharides, Vitamins of group B Vitamins A, C, E, Zinc, Copper Selenium Glutathione, Leucocyanidins from <i>Vitis vinifera</i> Lycopene from <i>Solanum lycopersicum</i>	The only high-dosage symbiotic that antagonizes the iatrogenic damage	1 sachet A + 1 sachet B/day
 Fibradis IS PATENTED	DISBIOSIS	SACHETS 90% BIFIDOGENIC PREBIOTIC FIBERS: Inulin, Galacto-oligosaccharides (GOS), Fructooligosaccharides (FOS) 10% LACTOGENIC PREBIOTIC FIBERS: Isomaltoligosaccharide (IMO), Lactulose, Polydextrose	The only mixture gender-specific of prebiotic fibers for the growth of bifid and lactic bacteria in physiological proportion	1-2 sachets/day *



Product	Use	COMPOSITION	BIOPHARMACEUTICAL	Dosage
 Bactoblis	PREVENTION OF: TONSILLITIS, PHARYNGITIS ACUTE OTITIS MEDIA TREATMENT OF: ORAL CANDIDOSIS HALITOSIS, GINGIVITIS	BUCCAL TABLETS <i>Streptococcus salivarius</i> K12 (BLIS™ K12)	BLIS™ K12 produces 2 Lantibiotics (or specific bacteriocins Salivaricin A2 and Salivaricin B) that limit the growth of <i>Streptococcus pyogenes</i> and other pathogenic strains	1 tablets/day *
 Bactoblis Advanced	PREVENTION OF: TONSILLITIS, PHARYNGITIS ACUTE OTITIS MEDIA TREATMENT OF: ORAL CANDIDOSIS HALITOSIS, GINGIVITIS	CAPSULES <i>Streptococcus salivarius</i> K12 (BLIS™ K12)	BLIS™ K12 produces 2 Lantibiotics (or specific bacteriocins Salivaricin A2 and Salivaricin B) that limit the growth of <i>Streptococcus pyogenes</i> and other pathogenic strains	1 capsule per day
 Carioblis	PREVENTION OF CARIE PREVENTION OF GINGIVITIS AND DISTURBS OF THE PERIODONTIUM	BUCCAL TABLETS <i>Streptococcus salivarius</i> BLIS™ M18	<i>Streptococcus salivarius</i> BLIS™ M18 produces 4 salivaricins (A, M, 9 and MPS) that contrast the growth of <i>Streptococci</i> responsible of carie and releases dextrinase, enzyme that reduces the formation of plaque, and urease that blocks the acidity of oral cavity	1 tablets/day *
 INatal	PREVENTION OF: GYNECOLOGICAL INFECTIONS BY STREPTOCOCCUS AGALACTIAE, CANDIDA ALBICANS GARDNERELLA AND MYCOPLASMAS, PREVENTION OF NEONATAL DISORDERS	SACHETS <i>Enterococcus faecium</i> L3 5 billions UFC <i>Bifidobacterium animalis</i> subsp. <i>lactis</i> 3 billions UFC <i>Lactococcus lactis</i> SP38 3 billions UFC <i>Lactobacillus casei</i> R0215 3 billions UFC	4 probiotic typed strains that colonize the vaginal canal and that are able to bring benefits to the mother and to the future child during childbirth	1 sachet per day dissolved in water starting, approximately, from the 2nd trimester

* published data wish reported dosages and clinical protocols